Progress of photonuclear cross-sections for medical radioisotope production at the SLEGS energy domain*

Xuan Pang, Bao-Hua Sun, † Li-Hua Zhu, † Guang-Hong Lu, Hong-Bo Zhou, and Dong Yang^{2,3}

¹School of Physics, Beihang University, Beijing 100191, China ²College of Physics, Jilin University, Changchun 130012, China ³National Basic Science Data Center, Beijing 100190, China

Photonuclear reactions using a laser Compton scattering (LCS) gamma source provide a new method for producing radioisotopes for medical applications. Compared with the conventional method, this method has the advantages of a high specific activity and less heat. Initiated by the Shanghai Laser Electron Gamma Source (SLEGS), we conducted a survey of potential photonuclear reactions, (γ, n) , (γ, p) , and (γ, γ') whose cross-sections can be measured at SLEGS by summarizing the experimental progress. In general, the data are rare and occasionally inconsistent. Therefore, theoretical calculations are often used to evaluate the production of medical radioisotopes. Subsequently, we verified the model uncertainties of the widely used reaction code TALYS-1.96, using the experimental data of the $^{100}\text{Mo}(\gamma, n)^{99}\text{Mo}$, $^{65}\text{Cu}(\gamma, n)^{64}\text{Cu}$, and $^{68}\text{Zn}(\gamma, p)^{67}\text{Cu}$ reactions.

Keywords: Medical radioisotope, Photonuclear reaction, LCS, Cross section

I. INTRODUCTION

Radioisotopes are widely used for the diagnosis and therapy of different diseases owing to their nuclear-physical properties [1, 2]. Diagnostic radioisotopes can provide functional and metabolic information for the early treatment of diseased regions that have not yet undergone morphological or structural changes. Currently, positron emission tomography (PET) [3] and single-photon emission computed tomography (SPECT) [4] are the two major diagnostic techniques. Shortlived β⁺-emitting radioisotopes are often used for PET. Typical examples include ¹¹C, ¹³N, ¹⁵O, and ¹⁸F, which have halflives of 20, 10, 2, and 110 min, respectively. For SPECT, γ -ray emitting radioisotopes are frequently used, of which ^{99m}Tc with a half-life of 6 h [5] is the most common radioisotope tracer. Therapeutic radioisotopes can be combined with targeted drugs to achieve the precise removal of small diseased regions without excessive doses to normal tissues. Therefore, radioisotopes that emit low-range highly ionizing radiation are of significant interest. The β^- -particle emitting radioisotopes (*e.g.* 32 P, 89 Sr, 90 Y, 131 I, 17 Lu, and 188 Re), Auger electron cascades (*e.g.* 103 Pd and 125 I) and α -particle emitting radioisotopes (*e.g.* 211 At, 212 Bi, 223 Ra, 225 Ac, and ²²⁷Th), with a high linear energy transfer in tissue, are suitable for therapy.

More than 40 million nuclear medicine procedures are performed annually, and the demand for radioisotopes is increasing by 5% annually [6]. Currently, the production of medical radioisotopes relies primarily on nuclear reactors and cyclotrons. Thermal neutron-induced fission produces neutron-rich radioisotopes in nuclear reactors. The advantage of this

method is the possibility of producing high levels of total and specific activities. However, the production of desired radioisotopes is accompanied by a considerable amount of long-lived radioactive waste, which raises numerous safety and security concerns. In addition, many nuclear reactors used for medical radioisotope production are more than 50 years old and may be shut down in the near future [7]. For example, a vast majority of reactors producing ⁹⁹Mo are expected to shut down by 2030. Compared with reactors, cyclotrons typically produce neutron-deficient radioisotopes by charged particle reactions accompanied by less radioactive waste. In addition, they have the advantage of being more compact, allowing their placement near hospitals, and making them a useful tool for producing radioisotopes with short half-lives that range from several minutes to hours.

Another promising method for radioisotope production involves photonuclear reactions, mainly including (γ, n) , (γ, p) , and (γ, γ') . This is considered an alternative to radioisotope production in reactors and cyclotrons or the only method of production for certain radioisotopes. (γ, n) reactions can produce β^+ -emitting radioisotopes for PET imaging, such as 11 C, 13 N, 15 O, and 18 F. These radioisotopes are produced by cyclotron-based (p, n) or (p, γ) reactions. (γ, p) reactions are suitable for producing β^- -emitting radioisotopes that are currently mostly produced in reactors. Highintensity γ beams are required to obtain adequate yield using this method. With the development of laser Compton scattering (LCS) gamma sources, the production of radioisotopes via photonuclear reactions has attracted considerable attention [8–17].

In contrast to conventional bremsstrahlung gamma sources based on electron linear accelerators, LCS gamma sources have the advantages of a high photon flux and excellent monochromaticity. The advantages of photonuclear reactions using LCS gamma sources for radioisotope production are as follows:

 Differing from bremsstrahlung gamma sources, the LCS gamma sources significantly reduce the heat per useful reaction rate as its γ-rays in the energy range of

^{*} Supported by the National Key R&D Program of China (2022YFA1602401), the National Natural Science Foundation of China (Grants No. 11961141004, No. U1832211, No. 11922501, No. 12325506) and the National Basic Science Data Center 'Medical Physicas DataBase' (No.NBSDC-DB-23).

[†] Corresponding author, bhsun@buaa.edu.cn

[‡] Corresponding author, zhulh@buaa.edu.cn

interest are not accompanied by an intense low-energy tail. Moreover, the LCS gamma sources have the ability to selectively tune photons to energies of interest. A high specific activity can be achieved by matching the photon energy to the giant dipole resonance (GDR) peak.

• Differing from the charged-particle induced reactions, the photonuclear reactions generate less heat as their energy deposition in targets via gamma-matter interactions is significantly smaller. Thus, the target can be thicker and requires considerably less cooling [9]. Moreover, the photonuclear reactions have the capability to simultaneously irradiate multiple targets. In this manner, it can maximize the utilization of γ beams and produce multiple radioisotopes simultaneously [8].

The Shanghai Laser Electron Gamma Source (SLEGS) employs the LCS technique. It can generate γ beams ranging from 0.25–21.7 MeV with a full-spectrum flux of $10^5-10^7~{\rm s}^{-1}$ [18] and the best possible bandwidth of γ beams of 5%–15% after passing through a dual collimation system [19]. Using collimation technology, the size of an γ beam can be continuously adjusted to within Φ 25 mm [20]. The monochromaticity and high intensity of γ beams combined with detector spectrometers can be used to measure the photonuclear reaction cross-section [21–24]. One of the main topics of SLEGS is the measurement of the key photonuclear reaction cross-section relevant for medical radioisotope investigations, providing crucial nuclear data for the photonuclear method.

In this study, we aim to estimate the production of medical radioisotopes in the energy range of 0.25–21.7 MeV in the SLEGS domain. The remainder of this paper is organized as follows. In Sect. II, we summarize the radioisotopes that can be produced via (γ, n) , (γ, p) , and (γ, γ') reactions and discuss their experimental feasibility. Owing to the scarcity of cross-sectional data regarding photonuclear reactions, theoretical calculations are often used to assess the yields of medical radioisotopes. In Sect. III, the cross-sectional data of the $^{100}\text{Mo}(\gamma, n)$, $^{65}\text{Cu}(\gamma, n)$, and $^{68}\text{Zn}(\gamma, p)$ reactions in the SLEGS energy region were investigated to produce ^{99}Mo , ^{64}Cu , and ^{67}Cu radioisotopes. Finally, we provide a summary in Sect. IV.

II. MEDICAL RADIOISOTOPES PRODUCED IN PHOTONUCLEAR REACTIONS

In this section, we discuss potential (γ, n) , (γ, p) , and (γ, γ') reactions for the production of medical radioisotopes. Crucial considerations include the natural abundance of the target isotopes, half-life of the radioisotopes, and available experimental data. Generally, it is preferable to have a target isotope with a dominant abundance (e.g., g.), greater than 10%), and a suitable half-life (several tens of minutes to days) for the produced radioisotope. However, the lack of experimental data may limit the medical applications of radioisotopes.

Different methods are available for measuring photonuclear reactions, including in-beam and offline measurements. Four π ³He neutron detection arrays, charged particle detectors, and nuclear resonance fluorescence spectrometers are commonly used for in-beam measurements of (γ, n) , (γ, p) , and (γ, γ') reactions. Offline measurement is suitable for determining all three types of photonuclear reactions only in cases where the residual decay has an unambiguous γ -ray and the lifetime of the residual nucleus is within a range of minutes to hours.

A. (γ, n) reactions

Radioisotopes can be most efficiently produced by exciting the target nuclide into a GDR using photons. The GDR is characterized by a large peak cross-section and broad width, resulting in a large integral cross-section. The shape of the GDR follows a Lorentzian distribution with a spreading width of approximately 5 MeV [25–27]. Generally, a considerable portion of the total photonuclear cross-section is known to originate from the (γ, n) reactions, which increases as the charge number of the target nuclide increases, making the following chemical separation easier. For example, the $^{100}\text{Mo}(\gamma, n)$ reaction accounts for more than 70% of the total photonuclear reactions within the energy range of 8.4–15 MeV. Therefore, medium- and heavy-mass nuclei are ideal for production via (γ, n) reactions [28].

Table 1 summarizes the 15 medical radioisotopes produced by (γ,n) reactions [8, 14, 29–31]. Excluding 100 Mo, the natural abundance of these reaction targets exceeds 10%. A higher natural abundance results in a higher yield and lower impurity content. The seventh column indicates the current status of the EXFOR database [32]. The experimental data for only nine radioisotopes are presented in the Appendix. Among these, the 19 F(γ,n) reaction has only one data set that was measured in the 1960s. The data for the 90 Zr(γ,n), 100 Mo(γ,n), and 187 Re(γ,n) reactions do not cover the entire GDR energy region. There is a significant discrepancy between the two sets of data for the 65 Cu(γ,n) reaction: It is possible to determine the relevant cross-sections at SLEGS.

B. (γ, p) reactions

Despite the nucleus being excited beyond the proton separation energy of the photons, it does not necessarily lose a proton. Only for excitations well beyond the proton separation energy, the proton can acquire sufficient kinetic energy to effectively cross the Coulomb barrier. However, in these cases, the excitation energy typically exceeds the separation energies of one or two neutrons. Therefore, the neutron emission channel competes with the proton emission channel. For light and certain medium-mass nuclei, the cross-sections of the (γ, p) reactions are comparable to and occasionally exceed those of the (γ, n) reactions, owing to the shell structure of the nuclei. Certain heavier β^- emitters for radionuclide therapy can also be produced by (γ, p) reactions, but the in-

TABLE 1. Medical radioisotope AX production via the ${}^{A+1}X(\gamma,n){}^AX$ reactions [8, 14, 29–31]. The natural abundance of ${}^{A+1}X$ is provided. The produced medical radioisotopes AX are characterized by the half-lives $T_{1/2}$ and decay modes. Here, $\%\epsilon$ represents the probabilities of nuclear decay via electron capture or β^+ decay. $\%\beta^-$ represents the probabilities of β^- decay. E_{th} represents the threshold energy of the reaction. The seventh column indicates whether the ${}^{A+1}X(\gamma,n){}^AX$ reactions have experimental data in the EXFOR database [32]. a and b indicate that the radioisotope can be studied by in-beam and off-line measurements, respectively. The last column presents the probable γ -rays of interest in the offline measurement. The data are obtained from Ref. [33].

A+1X	Nat. abu. (%)	^{A}X	$T_{1/2}$	Decay mode	$E_{th} (\mathrm{MeV})$	EXFOR data	Medical application	Exp. method	γ-ray (keV)
¹² C	98.93	¹¹ C	20.364 m	$%\varepsilon = 100$	18.7	Yes	PET	a;b	511
^{14}N	99.63	^{13}N	$9.965\;\mathrm{m}$	$%\varepsilon = 100$	10.5	Yes	PET	a;b	511
^{16}O	99.757	^{15}O	$122.24\;\mathrm{s}$	$\%\varepsilon = 100$	15.6	Yes	PET	a	-
19 F	100	^{18}F	$109.77\;\mathrm{m}$	$\%\varepsilon = 100$	10.4	Yes	PET	a; b	511
⁴⁵ Sc	100	⁴⁴ Sc	3.97 h	$\% \varepsilon = 100$	11.3	No	PET	a; b	511;1157
⁶³ Cu	69.15	⁶² Cu	$9.673\;\mathrm{m}$	$\%\varepsilon = 100$	10.8	Yes	PET	a; b	511;1157
⁶⁵ Cu	30.85	⁶⁴ Cu	12.7 h	$%\varepsilon = 61.5$	9.91	Yes	PET;Radiotherapy	a; b	511
				$\%\beta^{-} = 38.5$					
⁶⁹ Ga	60.108	⁶⁸ Ga	67.71 m	$\%\varepsilon = 100$	10.3	No	PET	a; b	511;1077
90 Zr	51.45	89 Zr	78.41 h	$\%\varepsilon = 100$	11.9	Yes	PET	a	-
¹⁰⁰ Mo	9.82	⁹⁹ Mo	65.976 h	$\%\beta^- = 100$	8.29	Yes	SPECT	a; b	740;778
104 Pd	11.14	103 Pd	$17.0 \mathrm{d}$	$\% \varepsilon = 100$	10.0	No	Radiotherapy	a	-
¹⁶⁶ Er	33.503	¹⁶⁵ Er	$10.36 \; \mathrm{h}$	$\%\varepsilon = 100$	8.47	No	Radiotherapy	a	-
$^{170}\mathrm{Er}$	14.91	¹⁶⁹ Er	$9.4~\mathrm{d}$	$\%\beta^{-} = 100$	7.25	No	Radiotherapy	a	-
¹⁸⁷ Re	62.60	¹⁸⁶ Re	$3.7 \mathrm{d}$	$\%\beta^-=92.53$	7.36	Yes	SPECT;Radiotherapy	a	-
				$\%\epsilon = 7.47$					
¹⁹³ Ir	62.70	¹⁹² Ir	$73.8~\mathrm{d}$	$\%\beta^- = 95.24$	7.77	No	Radiotherapy	a	-
				$\%\epsilon = 4.76$					

creasing Coulomb barrier leads to the production of small cross-sections. (γ, p) reactions result in the daughter and parent isotopes being chemically different. Several advanced chemical-separation techniques have been developed for this purpose. For example, a simple and reproducible three-ion exchange matrix approach was developed to separate ⁶⁷Cu from ⁶⁸Zn [34]. Separation techniques exist for other pairs, such as Ti/Sc, Zr/Y, and Hf/Lu [35–37].

The potential (γ,p) reactions used for nuclear medicine are listed in Table 2. However, the experimental data regarding this topic are scarce. Only limited data for 43 K, 67 Cu, and 177 Lu has been obtained by using the bremsstrahlung gamma source, as detailed in the Appendix. No error bars are shown for the 43 K data, whereas relatively large errors ranging from typically 10% to 100% for 67 Cu and 177 Lu have been demonstrated.

C. (γ, γ') reactions

A nuclear isomer is the metastable state of an atomic nucleus, in which one or more nucleons (protons or neutrons) occupy higher energy levels than the ground state of the same nucleus. The lifetime and excitation energy are two important properties of nuclear isomers. The excitation energy between the isomer and ground state is characteristic and can be used to identify nuclides. Nuclear isomers can be deexcited by the emission of γ -rays and/or the conversion of electrons to the ground state. The γ -emitting isomers can be used as radioactive labels for SPECT imaging. Nuclear isomers emitting low-energy Auger electrons are potential radioisotopes

for targeted therapy.

Conventional production methods, such as (n,γ) reactions, have relatively low yields because the dominant part of the production proceeds directly to the nuclear ground state with a spin closer to that of the target isotope. Using monochromatic and small-bandwidth LCS photons, transitions from a stable or long-lived nuclear ground state to higher energy levels can be selectively excited. Such levels serve as gateway states, which then partially decay to the isomeric state directly or via a cascade. The (γ,γ') reaction is equivalent to storing the energy of an incident photon in an isotope that acts as a container.

Table 3 lists the six isomers that can be produced by (γ, γ') reactions for medical applications. Excluding 117m Sn and 176m Lu, the experimental data for the other radioisotopes are detailed in the Appendix. The dataset of 103m Rh did not have error bars, and two different results were reported from 6 to 23 MeV. For 113m In, two cross-sectional datasets differ by more than 300 times at 8 MeV. For 115m In, there were significant discrepancies between multiple datasets. The data of 195m Pt have a large relative error as high as 100% at 3.5, 7.5, and 8 MeV.

III. EVALUATION OF CROSS-SECTIONS FOR ⁹⁹MO, ⁶⁴CU, AND ⁶⁷CU PRODUCTION

The cross-section data were used to calculate the expected yield of the radioisotopes for a given thickness and enrichment of the target material, and to determine the optimum energy range for the production of the desired radioisotope

TABLE 2. Same as Table 1 but for medical radioisotopes ${}^{A}X$ production via the ${}^{A+1}Y(\gamma,p){}^{A}X$ reactions [8, 38–40]. Nat. abu. indicate the natural abundance of ${}^{A+1}Y$. The seventh column indicates whether experimental data regarding the ${}^{A+1}Y(\gamma,p){}^{A}X$ reactions is available in the EXFOR database [32].

A+1Y	Nat. abu. (%)	^{A}X	$T_{1/2}$	Decay mode	$E_{th} (\mathrm{MeV})$	EXFOR data	Medical application	Exp. method	γ-ray (keV)
⁴⁴ Ca	2.09	⁴³ K	22.3 h	$\%\beta^{-} = 100$	12.1	Yes	Radiotherapy	a;b	373;617
⁴⁸ Ti	73.72	⁴⁷ Sc	$3.35~\mathrm{d}$	$\%\beta^{-} = 100$	11.4	No	Radiotherapy	a	-
⁵⁸ Ni	68.077	⁵⁷ Co	$271.74~\mathrm{d}$	$%\varepsilon = 100$	8.17	No	Radiotherapy	a	-
68 Zn	18.45	⁶⁷ Cu	61.83 h	$\%\beta^- = 100$	9.97	Yes	Radiotherapy	a; b	861;2502
91 Zr	11.22	^{90}Y	64.053 h	$\%\beta^{-} = 100$	8.68	No	Radiotherapy	a	-
¹⁰⁶ Pd	27.33	105 Rh	$35.36 \; \mathrm{h}$	$\%\beta^- = 100$	9.34	No	Radiotherapy	a; b	319
112 Sn	0.97	111 In	$2.805~\mathrm{d}$	$%\varepsilon = 100$	7.55	No	SPECT;Radiotherapy	a	-
¹³² Xe	26.9	^{131}I	$8.025~\mathrm{d}$	$\%\beta^{-} = 100$	9.12	No	Radiotherapy	a	-
162 Dy	25.475	¹⁶¹ Tb	$6.89~\mathrm{d}$	$\%\beta^- = 100$	8.00	No	SPECT;Radiotherapy	a	-
¹⁶⁷ Er	22.869	¹⁶⁶ Ho	26.824 h	$\%\beta^{-} = 100$	7.50	No	SPECT;Radiotherapy	a	-
$^{178}{ m Hf}$	27.28	¹⁷⁷ Lu	$6.647~\mathrm{d}$	$\%\beta^- = 100$	7.34	Yes	SPECT;Radiotherapy	a; b	208
¹⁸⁹ Os	16.15	¹⁸⁸ Re	17 h	$\%\beta^- = 100$	7.25	No	SPECT;Radiotherapy	a	-

TABLE 3. Same as Table 1 but for medical isomers ^{Am}X production via the $^{A}X(\gamma,\gamma')^{Am}X$ reactions [8, 13]. The isomeric states ^{Am}X are characterized by the energy E_m , half-lives $T^m_{1/2}$, and decay modes. Here, ^{M}IT represents the probabilities of nuclear decay via isomeric transitions. E_{th} equals E_m . The seventh column indicates whether the $^{A}X(\gamma,\gamma')^{Am}X$ reactions have experimental data in the EXFOR database [32]. $^{A}X(\gamma,\gamma')^{Am}X$ reactions can be investigated by off-line measurements where the γ -ray energy of interest is equal to E_m .

^{A}X	Nat. abu. (%)	^{Am}X	$T_{1/2}^{m}$	E_m/E_{th} (keV)	Decay mode	EXFOR data	Medical application
¹⁰³ Rh	100	103m Rh	56.114 m	39.8	%IT = 100	Yes	Radiotherapy
113 In	4.29	113m In	$99.476\;\mathrm{m}$	391.7	%IT = 100	Yes	SPECT;Radiotherapy
¹¹⁵ In	95.71	115m In	$4.486 \; \mathrm{h}$	336.2	%IT = 95	Yes	SPECT;Radiotherapy
					$\%\beta^- = 5$		
¹¹⁷ Sn	7.68	117m Sn	13.76 d	314.6	%IT = 100	No	Radiotherapy
¹⁷⁶ Lu	2.599	¹⁷⁶ <i>m</i> Lu	$3.664 \mathrm{\ h}$	122.8	$\%\beta^{-} = 99.90$	No	Radiotherapy
					$\%\varepsilon = 0.09$		
¹⁹⁵ Pt	33.78	^{195m} Pt	4.01 d	259.3	%IT = 100	Yes	Radiotherapy

and the level of radioisotopic impurities. However, the slow development of gamma sources and small cross-sections of photonuclear reactions resulted in a relatively small number of experimental studies regarding this cross-sectional data. There is often scattering between different experimental datasets. As a result, the cross-sections predicted by the theoretical models play a key role in the production of medical radioisotopes.

The TALYS code [41] offers a unified approach for calculating nuclear reactions that involve neutrons, photons, protons, deuterons, tritons, 3 He, and α particles in the keV-200 MeV energy range and for target nuclides with masses of 5 and 339. The code outputs a set of reaction data, for example cross-sections, energy spectra, and angular distributions of the emitted particles, etc.. Numerous studies have tested the TALYS code and demonstrated that it has reliable predictive power in terms of the nuclear reaction calculations [42–44]. In the TALYS code, the decay of the compound nuclear state from the photonuclear reaction was treated using the Hauser-Fenshbach (HF) statistical model [45]. The nuclear-level density and γ strength function were the main input parameters. In this study, we adapted the TALYS-1.96 code. It implemented six different nuclear level density (NLD) models and nine different models of γ strength functions (γ SF), as shown in Table 4. The NLD and γ SF models employ phenomenological and microscopic approaches, respectively.

In this section, we select the ⁹⁹Mo, ⁶⁴Cu, and ⁶⁷Cu radioisotopes as examples to compare the model calculations with the experimental data. ^{99m}Tc decayed by ⁹⁹Mo is the most frequently used radioisotope in nuclear medicine. ⁶⁸Zn is of interest owing to its applications in the production of the medical radioisotope ⁶⁷Cu; ⁶⁷Cu and ⁶⁴Cu can form a "matched pair" [46, 47]. Therapeutic ⁶⁷Cu, along with positron-emitting ⁶⁴Cu, can measure the uptake kinetics in an organ of a patient by PET imaging, allowing for a precise dosimetric calculation. We used the default values of NLD and the γSF models in the following calculations.

A. 99Mo/99mTc

With half-lives of 6 h and 140 keV γ -rays, 99m Tc is nearly ideal for SPECT imaging. The most common method to obtain 99m Tc is by elution from 99 Mo generators. The 100 Mo(γ , n) reaction has a sufficient potential to produce 99 Mo. The excitation functions are presented in Fig. 1, which covers the entire GDR energy range. The cross-sections of 100 Mo(γ , n) 99 Mo were experimentally measured by Utsunomiya et al. [48], Crasta et al. [49], and Ejiri et al. [14]. The gamma sources used in the experiments were LCS and

TABLE 4. The descriptions of NLD and γ SF models in the TALYS-1.96 code

Input parameter	Detailed description			
ldmodel 1 (default)	Constant Temperature + Fermi gas model			
ldmodel 2	Back-shifted Fermi gas model			
ldmodel 3	Generalised Superfluid model			
ldmodel 4	Skyrme-Hartree-Fock-Bogoluybov level densities from numerical tables			
ldmodel 5	Gogny-Hartree-Fock-Bogoluybov (GHFB) level densities from numerical tables			
ldmodel 6	Temperature-dependent GHFB level densities from numerical tables			
strength 1 (default for incident neutrons)	Kopecky-Uhl generalized Lorentzian			
strength 2 (default for other incident particles)	Brink-Axel Lorentzian			
strength 3	Hartree-Fock + Bardeen-Cooper-Schrieffer (BCS) tables			
strength 4	Hartree-Fock-Bogoliubov (HFB) tables			
strength 5	Goriely's hybrid model			
strength 6	Goriely Temperature-dependent HFB model			
strength 7	Temperature-dependent Relativistic Mean Field (RMF) model			
strength 8	Gogny D1M HFB + Quasiparticle Random Phase Approximation (QRPA)			
strength 9	Simplified Modified Lorentzian (SMLO) model			

bremsstrahlung. All the experimental results were distributed in the low-energy region of the GDR and did not exceed the peak. Fig. 1(a) demonstrates that the shape and value of the excitation function are highly sensitive to the choice of the γSF model, particularly at the peak position of GDR. Excluding Strength 2 and 3, the remaining γ SF models yield relatively similar results that are close to the experimental results. Different γ SF models produce similar predictions for energies above the GDR peak. Overall, the cross-sections estimated using Strength 8 achieve the best agreement with the experimental data. As shown in Fig. 1(b), the calculation results of all the NLD models below the peak are consistent but significantly higher than the experimental data, whereas those above the peak are significantly different. The data predicted by the models at energies above 14 MeV are highly valuable. New experiments can be conducted based on SLEGS to verify the model predictions.

B. ⁶⁴Cu

As listed in Table 1, the decay characteristics of ⁶⁴Cu render it useful for nuclear medicine [50]. It combines PET diagnostic capabilities with those of radiotherapy, with average electron emissions of 190 keV. Currently, ⁶⁴Cu is mainly produced by small cyclotrons through $^{64}Ni(p, n)$ reactions [51– 54]. Alternative production using 65 Cu(γ , n) does not require rare or expensive ⁶⁴Ni targets and simplifies the chemical separation step. The experimental data for the cross-sections of the 65 Cu(γ , n) 64 Cu reaction are presented in Fig. 2 along with the TALYS. The measurements by Katz et al. [55] and Antonov et al. [56] were performed using bremsstrahlung gamma sources. However, they differed significantly in terms of their shape and value. Coote et al. [57] obtained a single cross-section at 17.6 MeV using monochromatic γ -rays from the ${}^{7}\text{Li}(p,\gamma){}^{8}\text{Be}$ reaction. The cross-section is consistent with the calculation but lower than other experimental data by 80 to 120 mb. The cross-sections of 65 Cu $(\gamma, n)^{64}$ Cu can significantly vary with the choice of the γ SF models but not the NLD models. However, the discrepancies between the




Fig. 1. (Color online) 100 Mo $(\gamma, n)^{99}$ Mo reaction cross sections.

experiments and models cannot be compensated for by varying the γSF models. Future experiments regarding the ^{65}Cu photoneutron reaction using a monochromatic LCS gamma source will be useful for resolving these discrepancies and provide assurance for its medical applications.




Fig. 2. (Color online) 65 Cu(γ , n) 64 Cu reaction cross sections.

C. 67Cu

⁶⁷Cu is a promising β ⁻-particle emitter with an average energy of 141 keV for the targeted radiotherapies. The size of these particles in the tissue was of the same order as the cell diameter. This reduces the unwanted dose burden on patients [58]. With a half-life of 61.83 h and low energy γ emissions (91.266 keV, 7%; 93.311 keV, 16.1%; 184.577 keV, 48.7%), ⁶⁷Cu can provide a long therapeutic effect. ⁶⁷Cu and its stable daughter ⁶⁷Zn are nontoxic to the body, and both Cu and Zn are prevalent trace elements in the body. Along with the PET imaging radioisotope ⁶⁴Cu, it forms a "matched pair." However, the widespread clinical use of ⁶⁷Cu-based radiopharmaceuticals has been limited by their availability, quantity, and quality. Experiments [59–63] have shown that the 68 Zn(γ , p) reaction has the potential to produce sufficient quantities of ⁶⁷Cu with a sufficient purity for medical use. Moreover, various Cu and Zn separation methods have been employed in radiochemical processing [34, 64–66].

Figure 3 presents the excitation function of the 68 Zn(γ , p) 67 Cu reaction. Experimental data regarding this reaction are scarce, with only one group of two points in the energy region of SLEGS [67]. The data are significantly inconsistent with any calculation and hardly constrain NLD

and γSF models. In contrast to the (γ,n) reaction of several hundred mb, the (γ,p) reaction is typically several mb in the medium-heavy nuclei. Additionally, protons can easily stop at the target and are difficult to detect. If the product nuclei of the (γ,p) reaction are unstable and have a moderate half-life, the cross-sections can be determined by offline measurements of the characteristic γ -rays during decay. For the $^{68}{\rm Zn}(\gamma,p)$ reaction, an offline measurement technique can be employed to determine its cross-sections.




Fig. 3. (Color online) 68 Zn $(\gamma, p)^{67}$ Cu reaction cross sections.

IV. SUMMARY

In this study, we summarize the medical radioisotopes that can be produced by (γ, n) , (γ, p) , and (γ, γ') reactions, along with the experimental data for these production pathways. We investigated the photonuclear reaction cross-sections for the production of 99 Mo, 64 Cu, and 67 Cu. The experimental data for 99 Mo and 67 Cu did not cover the entire GDR energy region, whereas the data for 64 Cu exhibited a significant discrepancy. To better constrain the NLD and γ SF models in TALYS, additional experimental measurements at SLEGS in the energy region of GDR are necessary in the future.

To compare the productivity of the photonuclear method with that of traditional methods, we consider the production of ⁹⁹Mo/^{99m}Tc as an example. The highest flux currently available for SLEGS is 10^7 s⁻¹. We adopted the calculated results by the TALYS-1.96 code using the Strength 8 model for the yield calculations, which provided a maximum of 145 mb of the ${}^{100}\text{Mo}(\gamma, n)$ reaction cross-section at the incident photon energy of 14.4 MeV. After irradiating a 100 MoO₃ target with a radius of 2 mm and a thickness of 1 cm for 5 times the half-life of 99 Mo, the saturation specific activity of 99 Mo and 99m Tc can reach 4.76 and 4.74 μ Ci/g, respectively. The use of stacked targets can further enhance production. When the energy regions corresponding to the maximum cross-sections of the targeted nuclear reactions are close, multiple radioisotopes can be simultaneously produced. For example, the ⁶²Cu, ⁶⁴Cu, and ⁸⁹Zr radioisotopes can be produced simultaneously when the incident photon energy is approximately 17 MeV.

Currently, 99 Mo is primarily produced by the (n, f) reaction in a high-flux reactor using an enriched ²³⁵U target. The specific activity of 99 Mo can reach 185 TBq/g (5000 Ci/g) [6]. However, most reactors will gradually shut down by 2030 [68]. Medical cyclotrons can be used to directly generate 99m Tc via the 100 Mo(p,2n) reaction. According to the experimental data, an enriched 100 Mo target irradiated with a 16.5 MeV proton beam at 130 μ A for 6 h yielded 116 GBq/g (3.13 Ci/g) of ^{99m}Tc [69]. Recently, a subcritical ⁹⁹Mo production system was developed, which is driven by an accelerator-based deuterium-deuterium (D-D) neutron source. The D-D fusion reaction generates neutrons that irradiate a low-enriched uranium solution and induce fission in 235 U. The system can generate 47.8 mCi/g 99 Mo for a stable 24 h operation with a neutron intensity of 1×10^{14} n/s [70]. Bremsstrahlung gamma sources based on linear electron accelerators are often used to produce ⁹⁹Mo radioisotopes. Using a ¹⁰⁰MoO₃ target irradiate with a 35 MeV electron beam at 100 μ A for 20 h; the specific activity can achieve 4.4 GBq/g (119 mCi/g) [71]. NorthStar Medical Radioisotopes developed a 99Mo production system using an electron linear accelerator. Using this system based on (γ, n) reactions, approximately 30% more ⁹⁹Mo is produced per gram of the target material compared with the traditional neutron capture route [72, 73].

In comparison, the specific activity produced by the photonuclear method based on SLEGS was low. With a further increase in the flux of γ beams, from $10^7~{\rm s}^{-1}$ to $10^{15}~{\rm s}^{-1}$ [20], the specific activity of $^{99}{\rm Mo}$ can reach up to 4×10^2 Ci/g. For the 2-day protocol, the activity of the $^{99m}{\rm Tc}$ -labelled tracers required for one myocardial perfusion imaging was 24 mCi [74]. The total yield of stacked targets in one year can provide 400,000 myocardial perfusion images. As the flux of SLEGS increases in the future, this method is promising for producing medical radioisotopes and will become feasible in China.

APPENDIX

Experimental data for the production of medical radioisotopes by (γ, n) , (γ, p) , and (γ, γ') reactions are summarized. Table 5 lists relevant information on these reactions. All the data and information were obtained from the EXFOR database [32].

TABLE 5. Information regarding experimental data for the production of medical radioisotopes by photonuclear reactions

Target	Reaction	Product	Year	Gamma source	Reference
¹² C*	(γ, n)	¹¹ C	1951	Bremsstrahlung	[55]
			1957	Bremsstrahlung	[75]
			1959	$^3\mathrm{H}(p,\gamma)^4\mathrm{He}$	[76]
			1961	Bremsstrahlung	[77]
			1962	$^{3}\mathrm{H}(p,\gamma)^{4}\mathrm{He}$	[78]
			1966	Bremsstrahlung	[79]
			1966	Bremsstrahlung	[80]
			1966	$^{3}\mathrm{H}(p,\gamma)^{4}\mathrm{He}$	[81]
^{14}N	(γ,n)	^{13}N	1960	Bremsstrahlung	[82]
	(1))		1987	Bremsstrahlung	[83]
$^{16}O^{*}$	(γ,n)	¹⁵ O	1962	$^{3}\mathrm{H}(p,\gamma)^{4}\mathrm{He}$	[78]
	(1))		1966	Bremsstrahlung	[84]
			1970	Bremsstrahlung	[85]
			1985	Bremsstrahlung	[86]
			1991	Bremsstrahlung	[87]
¹⁹ F	(γ, n)	18 F	1962	$^{3}\mathrm{H}(p,\gamma)^{4}\mathrm{He}$	[78]
⁶³ Cu	(γ, n)	⁶² Cu	1951	Bremsstrahlung	[88]
Cu	(1,70)	Cu	1951	Bremsstrahlung	[55]
			1954	Bremsstrahlung	[89]
			1955	Bremsstrahlung	[90]
			1959	7 Li $(p,\gamma)^{8}$ Be	[91]
			1960	⁷ Li (p,γ) ⁸ Be	[92]
			1961	⁷ Li (p,γ) ⁸ Be	[57]
			1962	3 H (p,γ) 4 He	[78]
			1968	In-flight positron annihilation	[93]
			1968	Bremsstrahlung	[94]
			1979	In-flight positron annihilation	[95]
			1984	$^{7}\mathrm{Li}(p,\gamma)^{8}\mathrm{Be}$	[96]
			1984	Bremsstrahlung	[97]
			2012	Bremsstrahlung	[98]
⁶⁵ Cu [*]	(γ,n)	⁶⁴ Cu	1951	Bremsstrahlung	[55]
Cu	(γ, n)	Cu	1961	$^{7}\text{Li}(p,\gamma)^{8}\text{Be}$	[57]
			1990	Bremsstrahlung	[56]
⁹⁰ Zr	(21 m)	89 Zr	1978	Bremsstrahlung	
ZI	(γ,n)	Zı	2010		[99]
			2019	Bremsstrahlung LCS	[100]
¹⁰⁰ Mo	(21 m)	⁹⁹ Mo			[101]
MO	(γ,n)	MO	1978	Bremsstrahlung	[99]
			2011 2011	Bremsstrahlung	[49] [14]
			2011	LCS LCS	[48]
¹⁸⁷ Re	(21 m)	¹⁸⁶ Re	2005	LCS	[102]
⁴⁴ Ca	(γ, n)	43K			
⁶⁸ Zn	(γ, p)	⁶⁷ Cu	1978	Bremsstrahlung	[99]
Zn	(γ,p)	Cu	1957	Bremsstrahlung	[67]
¹⁷⁸ Hf	()	¹⁷⁷ Lu	2021	Bremsstrahlung	[56]
¹⁰³ Rh	(γ, p)	103mRh	2020	Bremsstrahlung	[103]
¹¹³ In	(γ, γ')	113 <i>m</i> Rh 113 <i>m</i> In	1961	Bremsstrahlung	[104]
In	(γ,γ')	···-mIn	2006	Bremsstrahlung	[105]
115+	/ 1	115	2017	Bremsstrahlung	[106]
¹¹⁵ In	(γ,γ')	115m In	1957	Bremsstrahlung	[107]
			1993	Bremsstrahlung	[108]
			2001	Bremsstrahlung	[109]
			2006	Bremsstrahlung	[110]
			2017	Bremsstrahlung	[106]
105	,	105	2018	LCS	[111]
¹⁹⁵ Pt	(γ, γ')	^{195m} Pt	2006	Bremsstrahlung	[105]

^{*} Experimental data within a specific energy range, instead of all of experimental data

1. (γ, n)

The cross-sectional data for the production of 11 C, 13 N, 15 O, 18 F, 62 Cu, 64 Cu, 89 Zr, 99 Mo, and 186 Re radioisotopes by (γ, n) reactions are shown in the following figures:




Fig. 4. (Color online) $^{12}{\rm C}(\gamma,n)^{11}{\rm C}$ reaction cross sections.




Fig. 5. 14 N $(\gamma, n)^{13}$ N reaction cross sections.




Fig. 6. (Color online) $^{16}{\rm O}(\gamma,n)^{15}{\rm O}$ reaction cross sections.




Fig. 7. $^{19}{\rm F}(\gamma,n)^{18}{\rm F}$ reaction cross sections.




Fig. 8. (Color online) 63 Cu $(\gamma, n)^{62}$ Cu reaction cross sections.




Fig. 9. 65 Cu(γ , n) 64 Cu reaction cross sections.




Fig. 10. $^{90}{\rm Zr}(\gamma,n)^{89}{\rm Zr}$ reaction cross sections.




Fig. 11. 100 Mo(γ , n) 99 Mo reaction cross sections.




Fig. 12. $^{187}\mathrm{Re}(\gamma,n)^{186}\mathrm{Re}$ reaction cross sections.

2. (γ, p)

The cross-sectional data for the production of 43 K, 67 Cu, and 177 Lu radioisotopes by (γ, p) reaction are shown in the following figures:




Fig. 13. 44 Ca $(\gamma, p)^{43}$ K reaction cross sections.




Fig. 14. 68 Zn(γ , p) 67 Cu reaction cross sections.




Fig. 15. $^{178}\mathrm{Hf}(\gamma,p)^{177}\mathrm{Lu}$ reaction cross sections.

3. (γ, γ')

The cross-sectional data for the production of 103m Rh, 113m In, 115m In, and 195m Pt radioisotopes by (γ, γ') reaction are shown in the following figures:




Fig. 16. 103 Rh $(\gamma, \gamma')^{103m}$ Rh reaction cross sections.




Fig. 17. 113 In $(\gamma, \gamma')^{113m}$ In reaction cross sections.




Fig. 18. (Color online) $^{115}\text{In}(\gamma,\gamma')^{115m}\text{In}$ reaction cross sections.




Fig. 19. 195 Pt $(\gamma, \gamma')^{195m}$ Pt reaction cross sections.

- [1] Ch. Schiepers(ed.) *Diagnostic Nuclear Medicine* (Springer & Berlin 2006).
- [2] G.J.R. Cook(ed.) Clinical Nuclear Medicine (Hodder Arnold & London 2006).
- [3] R. Nutt, The history of positron emission tomography. Mol. Imaging Biol. 4, 11–26 (2002). doi: 10.1016/S1095-0397(00)00051-0
- [4] G.T. Gullberg, G.L. Zeng, F.L. Datz et al., Review of convergent beam tomography in single photon emission computed tomography. Phys. Med. Biol. 37, 507--534 (1992). doi: 10.1088/0031-9155/37/3/002
- [5] J.L. Alberini, V. Edeline, A.L. Giraudet et al., Single photon emission tomography/computed tomography (SPET/CT) and positron emission tomography/computed tomography (PET/CT) to image cancer. J. Surg. Oncol. 103, 602–606 (2011). doi: 10.1002/jso.21695
- [6] World Nuclear Association, Radioisotopes in Medicine, https://world-nuclear.org/information-library/non-powernuclear-applications/radioisotopes-research/radioisotopes-inmedicine.aspx. Accessed 7 Feb 2023
- [7] IAEA: IAEA Annual Report for 2021, https://www.iaea.org/opic/annual-report-2021
- [8] D. Habs, U. Köster, Production of medical radioisotopes with high specific activity in photonuclear reactions with γ -beams of high intensity and large brilliance. Appl. Phys. B **103**, 501-

- -519 (2011). doi: 10.1007/s00340-010-4278-1
- [9] B. Szpunar, C. Rangacharyulu, S. Date et al., Estimates of production of medical isotopes by photo-neutron reaction at the Canadian Light Source. Nucl. Instrum. Methods A 729, 41–50 (2013). doi: 10.1016/j.nima.2013.06.106
- [10] W. Luo, D.L. Balabanski, D. Filipescu, A data-based photonuclear simulation algorithm for determining specific activity of medical radioisotopes. Nucl. Sci. Tech. 27, 5 (2016). doi: 10.1007/s41365-016-0111-9
- [11] W. Luo, M. Bobeica, I. Gheorghe et al., Estimates for production of radioisotopes of medical interest at extreme light infrastructure–Nuclear physics facility. Appl. Phys. B 122, 8 (2016). doi: 10.1007/s00340-015-6292-9
- [12] W. Luo, Production of medical radioisotope 64 Cu by photoneutron reaction using ELI-NP γ -ray beam. Nucl. Sci. Tech. **27**, 96 (2016). doi: 10.1007/s41365-016-0094-6
- [13] W.T. Pan, T. Song, H.Y. Lan et al., Photo-excitation production of medically interesting isomers using intense γ-ray source. Appl. Radiat. Isot. 168, 109534 (2021). doi: 10.1016/j.apradiso.2020.109534
- [14] H. Ejiri, T. Shima, S. Miyamoto et al., Resonant photonuclear reactions for isotope transmutation. J. Phys. Soc. Japan 80, 094202 (2011). doi: 10.1143/JPSJ.80.094202
- [15] J. Lee, H. Rehman, Y. Kim, A feasibility study on the transmutation of 100 Mo to 99m Tc with laser-compton scat-

- tering photons. Nucl. Technol. **201**, 41–51 (2018). doi: 10.1080/00295450.2017.1392397
- [16] H.Y. Lan, D. Wu, J.X. Liu et al., Photonuclear production of nuclear isomers using bremsstrahlung induced by laserwakefield electrons. Nucl. Sci. Tech. 34, 74 (2023). doi: 10.1007/s41365-023-01219-x
- [17] IAEA(ed.) Non-HEU Production Technologies for Molybdenum-99 and Technetium-99m (IAEA, Vienna, 2013).
- [18] H.W. Wang, G.T. Fan, L.X. Liu et al., Commissioning of laser electron gamma beamline SLEGS at SSRF. Nucl. Sci. Tech. 33, 87 (2022). doi: 10.1007/s41365-022-01076-0
- [19] Z.R. Hao, G.T. Fan, H.W. Wang et al., Collimator system of SLEGS beamline at Shanghai Light Source. Nucl. Instr. Meth. A 1013, 165638 (2021). doi: 10.1016/j.nima.2021.165638
- [20] H.W. Wang, G.T. Fan, L.X. Liu et al., Development and prospect of Shanghai laser compton scattering gamma source. Nucl. Phys. Rev. 37, 53–63 (2020). doi: 10.11804/NuclPhys-Rev.37.2019043 (in Chinese)
- [21] Z.R. Hao, G.T. Fan, L.X. Liu et al., Design and simulation of a 4π fat efciency 3 He neutron detector array. Nucl. Techn. **43**, 110501 (2020). doi: 10.11889/j.0253-3219.2020.hjs.43.110501 (in Chinese)
- [22] K.J. Chen, L.X. Liu, Z.R. Hao et al., Simulation and test of the SLEGS TOF spectrometer at SSRF. Nucl. Sci. Tech. 34, 47 (2023). doi: 10.1007/s41365-023-01194-3
- [23] P. Kuang, L.L Song, K.J. Chen et al., Nuclear resonance fluorescence spectrometer design and detector performance analysis of Shanghai laser electron gamma source(SLEGS). Nucl. Phys. Rev. 40, 58–65 (2023). doi: 10.11804/NuclPhys-Rev.40.2022040 (in Chinese)
- [24] Y.X. Yang, Y. Zhang, W.J. Zhao et al., Construction of gamma activation experimental platform for Shanghai laser electron gamma source. Nucl. Phys. Rev. 31, 1–6 (2023). doi: 10.11804/NuclPhysRev.31.01.01 (in Chinese)
- [25] K. Goeke, J. Speth, Theory of giant resonances. Ann. Rev. Nucl. Part. Sci. 32, 65–115 (1982). doi: 10.1146/AN-NUREV.NS.32.120182.000433
- [26] H. Feshbach, Unified Theory of Nuclear Reactions. Rev. Mod. Phys. 36, 1076 (1964). doi: 10.1103/RevModPhys.36.1076
- [27] M. Herman, G. Reffo, H.A. Weidenmüller, Multistep-compound contribution to precompound reaction cross section. Nucl. Phys. A 536, 124–140 (1992). doi: 10.1016/0375-9474(92)90249-J
- [28] L.Z. Dzhilavyan, A.I. Karev and V.G. Raevsky, Possibilities for the production of radioisotopes for nuclear-medicine problems by means of photonuclear reactions. Phys. Atom. Nuclei 74, 1690–1696 (2011). doi: 10.1134/S1063778811120040
- [29] M. Bobeica, D. Niculae, D. Balabanski et al., Radioisotopes production for medical applications at ELI-NP. Rom. Rep. Phys. 68, S847–S883 (2016)
- [30] A. Zilges, D.L. Balabanski, J. Isaak et al., Photonuclear reactions—From basic research to applications. Prog. Part. Nucl. Phys. 122, 103903 (2022). doi: 10.1016/j.ppnp.2021.103903
- [31] D. Budker, J.C. Berengut, V.V. Flambaum et al., Expanding nuclear physics horizons with the gamma factory. Ann. Phys. 534, 2100284 (2022). doi: 10.1002/andp.202100284
- [32] Experimental Nuclear Reaction Data (EXFOR), https://www-nds.iaea.org/exfor/. Accessed 13 Feb 2023
- [33] NuDat 3 database, https://www.nndc.bnl.gov/nudat3/. Accessed 13 Feb 2023
- [34] R. Schwarzbach, K. Zimmermann, P. Bläuenstein et al., Development of a simple and selective separation of ⁶⁷Cu from

- irradiated zinc for use in antibody labelling: A comparison of methods. Appl. Radiat. Isot. **46**, 329–336 (1995). doi: 10.1016/0969-8043(95)00010-B
- [35] M. Yagi, K. Kondo, Preparation of carrier-free 47 Sc by the 48 Ti (γ, p) . Int. J. Appl. Radiat. Isot. **28**, 463–468 (1977). doi: 10.1016/0020-708X(77)90178-8
- [36] S.A. Kandil, B. Scholten, Z.A. Saleh et al., A comparative study on the separation of radiozirconium via ion-exchange and solvent extraction techniques, with particular reference to the production of ⁸⁸Zr and ⁸⁹Zr in proton induced reactions on yttrium. J. Radioanal. Nucl. Chem. **274**, 45–52 (2007). doi: 10.1007/s10967-006-6892-2
- [37] B.L. Fèvre, C. Pin, A straightforward separation scheme for concomitant Lu–Hf and Sm–Nd isotope ratio and isotope dilution analysis. Anal. Chim. Acta 543, 209–221 (2005). doi: 10.1016/j.aca.2005.04.044
- [38] V.N. Starovoitova, L. Tchelidze, D.P. Wells, Production of medical radioisotopes with linear accelerators. Appl. Radiat. Isot. 85, 39–44 (2014). doi: 10.1016/j.apradiso.2013.11.122
- [39] M. Inagaki, S. Sekimoto, W. Tanaka et al., Production of ⁴⁷Sc, ⁶⁷Cu, ⁶⁸Ga, ¹⁰⁵Rh, ¹⁷⁷Lu, and ¹⁸⁸Re using electron linear accelerator. J. Radioanal. Nucl. Chem. **322**, 1703–1709 (2019). doi: 10.1007/s10967-019-06904-z
- [40] A.G. Kazakov, T.Y. Ekatova, J.S. Babenya, Photonuclear production of medical radiometals: a review of experimental studies. J. Radioanal. Nucl. Chem. 328, 493—505 (2021). doi: 10.1007/s10967-021-07683-2
- [41] A. Koning, D. Rochman, Modern nuclear data evaluation with the TALYS code system. Nucl. Data Sheets 113, 2841—2934 (2012). doi: 10.1016/j.nds.2012.11.002
- [42] S. Stoulos, E. Vagena, Indirect measurement of bremsstrahlung photons and photoneutrons cross sections of ²⁰⁴Pb and Sb isotopes compared with TALYS simulations. Nucl. Phys. A **980**, 1–14 (2018). doi: 10.1016/j.nuclphysa.2018.09.081
- [43] P.V. Cuong, T.D. Thiep, L.T. Anh et al., Theoretical calculation by Talys code in combination with Geant4 simulation for consideration of (γ, n) reactions of Eu isotopes in the giant dipole resonance region. Nucl. Instrum. Methods B **479**, 68–73 (2020). doi: 10.1016/j.nimb.2020.06.011
- [44] H. Cheng, B.H. Sun, L.H. Zhu et al., Measurements of 160 Dy (p, γ) at energies relevant for the astrophysical γ process. Astrophys. J. **915**, 78 (2021). doi: 10.3847/1538-4357/ac00b1
- [45] W. Hauser, H. Feshbach, The inelastic scattering of neutrons. Phys. Rev. 87, 366–373 (1952). doi: 10.1103/PhysRev.87.366
- [46] A. Bockisch, Matched pairs for radionuclide-based imaging and therapy. Eur. J. Nucl. Med. Mol. Imaging 38, 1–3 (2011). doi: 10.1007/s00259-011-1780-6
- [47] S.M. Qaim, B. Scholten, B. Neumaier, New developments in the production of theranostic pairs of radionuclides. J. Radioanal. Nucl. Chem. 318, 1493–1509 (2018). doi: 10.1007/s10967-018-6238-x
- [48] H. Utsunomiya, S. Goriely, T. Kondo et al., Photoneutron cross sections for Mo isotopes: A step toward a unified understanding of (γ, n) and (n, γ) reactions. Phys. Rev. C **88**, 015805 (2013). doi: 10.1103/PhysRevC.88.015805
- [49] R. Crasta, H. Naik, S.V. Suryanarayana et al., Photo-neutron cross-section of ¹⁰⁰Mo. J. Radioanal. Nucl. Chem. **290**, 367– 373 (2011). doi: 10.1007/s10967-011-1247-z
- [50] C.J. Anderson, R. Ferdani, Copper-64 radiopharmaceuticals for PET imaging of cancer: Advances in preclinical and clinical research. Cancer Biother Radiopharm 24, 379–393 (2009). doi: 10.1089/cbr.2009.0674

- [51] J.Y. Kim, H. Park, J.C. Lee et al., A simple Cu-64 production and its application of Cu-64 ATSM. Appl. Radiat. Isot. 67, 1190–1194 (2009). doi: 10.1016/j.apradiso.2009.02.060
- [52] Q.H. Xie, H. Zhu, F. Wang et al., Establishing reliable Cu-64 production process: From target plating to molecular specific tumor micro-PET imaging. Molecules 22, 641 (2017). doi: 10.3390/molecules22040641
- [53] M. Jauregui-Osoro, S.D. Robertis, P. Halsted et al., Production of copper-64 using a hospital cyclotron: targetry, purification and quality analysis. Nucl. Med. Commun. 42, 1024–1038 (2021). doi: 10.1097/MNM.0000000000001422
- [54] L. Isolan, M. Malinconico, W. Tieu et al., A digital twin for ⁶⁴Cu production with cyclotron and solid target system. Sci. Rep. 12, 19379 (2022). doi: 10.1038/s41598-022-23048-5
- [55] L. Katz, A.G.W. Cameron, The solution of x-ray activation curves for photonuclear cross sections. Can. J. Phys. 29, 518– 544 (1951). doi: 10.1139/p51-056
- [56] A.D. Antonov, N.P. Balabanov, Yu.P. Gangrsky et al., Studied photonuclear reactions with the emission of α particles in the region of the Giant Dipole Resonance. Yad. Fiz. **51**, 305 (1990).
- [57] G.E. Coote, W.E. Turchinetz, I.F. Wright, Cross sections for the (γ, n) reaction in Cu⁶³, Cu⁶⁵, Zn⁶⁴, Sb¹²¹ and Pr¹⁴¹, measured with monochromatic gamma rays. Nucl. Phys. **23**, 468–480 (1961). doi: 10.1016/0029-5582(61)90273-5
- [58] S.M. Qaim, Therapeutic radionuclides and nuclear data. Radiochim. Acta 89, 297–302 (2001). doi: 10.1524/ract.2001.89.4-5.297
- [59] V. Starovoitova, D. Foote, J. Harris et al., Cu-67 photonuclear production. AIP Conf. Proc. 1336, 502–504 (2011). doi: 10.1063/1.3586150
- [60] D.A. Ehst, N.A. Smith, D.L. Bowers et al., Copper-67 production on electron linacs—Photonuclear technology development. AIP Conf. Proc. 1509, 157–161 (2012). doi: 10.1063/1.4773959
- [61] N.A. Smith, D.L. Bowers, D.A. Ehst, The production, separation, and use of ⁶⁷Cu for radioimmunotherapy: A review. Appl. Radiat. Isot. 70, 2377–2383 (2012). doi: 10.1016/j.apradiso.2012.07.009
- [62] R.A. Aliev, S.S. Belyshev, A.A. Kuznetsov et al., Photonuclear production and radiochemical separation of medically relevant radionuclides: ⁶⁷Cu. J. Radioanal. Nucl. Chem. **321**, 125–132 (2019). doi: 10.1007/s10967-019-06576-9
- [63] G.H. Hovhannisyan, T.M. Bakhshiyan, R.K. Dallakyan, Photonuclear production of the medical isotope ⁶⁷Cu. Nucl. Instrum. Methods B 498, 48–51 (2021). doi: 10.1016/j.nimb.2021.04.016
- [64] N. Marceau, T.P.A. Kruck, D.B. McConnell et al., The production of copper 67 from natural zinc using a linear accelerator. Int. J. Appl. Radiat. Isot. 21, 667–669 (1970). doi: 10.1016/0020-708X(70)90121-3
- [65] A.K. Dasgupta, L.F. Mausner, S.C. Srivastava, A new separation procedure for ⁶⁷Cu from proton irradiated Zn. Appl. Radiat. Isot. 42, 371–376 (1991). doi: 10.1016/0883-2889(91)90140-V
- [66] M.A. Hassanein, H. El-Said, M.A. El-Amir, Separation of carrier-free ^{64,67}Cu radionuclides from irradiated zinc targets using 6-tungstocerate(IV) gel matrix. J. Radioanal. Nucl. Chem. 269, 75–80 (2006). doi: 10.1007/s10967-006-0232-4
- [67] A.E. Sioufi, P. Erdos, P. Stoll, (γ, np) Process in Mo-92 and Zn-66. Helv. Phys. Acta **30**, 264 (1957).
- [68] Y.W. Wang, D.Y. Chen, R.S. Augusto et al., Production review of accelerator-based medical isotopes. Molecules 27,

- 5294 (2022). doi: 10.3390/molecules27165294
- [69] P. Schaffer, F. Bénard, A. Bernstein et al., Direct production of ^{99m}Tc via ¹⁰⁰Mo(p, 2n) on small medical cyclotrons. Phys. Procedia 66, 383–395 (2015). doi: 10.1016/j.phpro.2015.05.048
- [70] H.H. Xiong, Q.S. Zeng, Y.C. Han et al., Neutronics analysis of a subcritical blanket system driven by a gas dynamic trapbased fusion neutron source for ⁹⁹Mo production. Nucl. Sci. Tech. 34, 49 (2023). doi: 10.1007/s41365-023-01206-2
- [71] S. Sekimoto, K. Tatenuma, Y. Suzuki et al., Separation and purification of ^{99m}Tc from ⁹⁹Mo produced by electron linear accelerator. J. Radioanal. Nucl. Chem. **311**, 1361–1366 (2017). doi: 10.1007/s10967-016-4959-2
- [72] NorthStar Medical Radioisotopes: Accelerator Mo-99 Production, https://www.northstarnm.com/development/acceleratormo-99/. Accessed 15 Aug 2023
- [73] J.T. Harvey, G.H. Isensee, G.P. Messina et al., Domestic production of Mo99(2011), https://mo99.ne.anl.gov/2011/pdfs/Mo99/S7-P3_Harvey.pdf. Accessed 15 Aug 2023
- [74] B. Hesse, K. Tägil, A. Cuocolo et al., EANM/ESC procedural guidelines for myocardial perfusion imaging in nuclear cardiology. Eur. J. Nucl. Med. Mol. Imaging 32, 855–897 (2005). doi: 10.1007/s00259-005-1779-y
- [75] B.C. Cook, A.S.Penfold, V.L. Telegdi, Photodisintegration of C¹³. Phys. Rev. **106**, 300–314 (1957). doi: 10.1103/Phys-Rev.106.300
- [76] L.D.Cohen, W.E.Stephens, Gamma-ray activation of carbon. Phys. Rev. Lett. 2, 263–264 (1959). doi: 10.1103/Phys-RevLett.2.263
- [77] J.P. Roalsvig, I.C. Gupta, R.N.H. Haslam, Photoneutron reactions in C¹² and O¹⁶. Can. J. Phys. 39, 643–656 (1961). doi: 10.1139/p61-075
- [78] W.E.D. Bianco, W.E. Stephens, Photonuclear activation by 20.5-MeV gamma rays. Phys. Rev. 126, 709–717 (1962). doi: 10.1103/PhysRev.126.709
- [79] E.B. Bazhanov, A.P. Komar, A.V. Kulikov et al., Photodisintegration of C¹². Yad. Fiz. 3, 711 (1966).
- [80] B.C. Cook, J.E.E. Baglin, J.N. Bradford et al., C¹²(γ, n)C¹¹ cross section to 65 MeV. Phys. Rev. **143**, 724–729 (1966). doi: 10.1103/PhysRev.143.724
- [81] W.A. Lochstet, W.E. Stephens, ${}^{12}\text{C}(\gamma, n){}^{11}\text{C}$ giant resonance with gamma rays. Phys. Rev. **141**, 1002–1006 (1966). doi: 10.1103/PhysRev.141.1002
- [82] J.D. King, R.N.H. Haslam, R.W. Parsons, The gammaneutron cross section for N¹⁴. Can. J. Phys. 38, 231–239 (1960). doi: 10.1139/p60-023
- [83] M.J. Facci, M.N. Thompson, The absolute ¹⁴N(γ, n) reaction cross section. Nucl. Phys. A 465, 77–82 (1987). doi: 10.1016/0375-9474(87)90299-5
- [84] B.C. Cook, J.E.E. Baglin, J.N. Bradford et al., $O^{16}(\gamma, n)O^{15}$ cross section from threshold to 65 MeV. Phys. Rev. **143**, 712–723 (1966). doi: 10.1103/PhysRev.143.712
- [85] B.S. Ishkhanov, I.M. Kapitonov, E.V. Lazutin et al., Fine structure of giant dipole resonance of the O¹⁶ nucleus. Yad. Fiz. 12, 892 (1970).
- [86] S.N. Belyaev, A.B. Kozin, A.A. Nechkin et al., Photoabsorption cross sections of Pb, Bi, and Ta isotopes in the energy region E_γ ≤ 12 MeV. Yad. Fiz. 42, 1050 (1985).
- [87] S.N. Belyaev, V.A. Semenov, Intermediate structure in (γ, n) cross sections at nuclei with N = 82. Bull. Russ. Acad. Sci. Phys. 55, 66 (1991).

- [88] P.R. Byerly, W.E. Stephens et al., Photodisintegration of copper. Phys. Rev. 83, 54–62 (1951). doi: 10.1103/Phys-Rev.83.54
- [89] A.I. Berman, K.L. Brown, Absolute cross section versus energy of the $Cu^{63}(\gamma, n)$ and $Cu^{63}(\gamma, 2n)$ reactions. Phys. Rev. **96**, 83–89 (1954). doi: 10.1103/PhysRev.96.83
- [90] M.B. Scott, A.O. Hanson, D.W. Kerst, Electro- and photodisintegration cross sections of Cu⁶³. Phys. Rev. 100, 209–214 (1954). doi: 10.1103/PhysRev.100.209
- [91] T. Nakamura, K. Takamatsu, K. Fukunaga et al., Absolute cross sections of the (γ, n) reaction for Cu⁶³, Zn⁶⁴, and Ag¹⁰⁹. J. Phys. Soc. Japan **14**, 693–698 (1959). doi: 10.1143/JPSJ.14.693
- [92] S. Yasumi, M. Yata, K. Takamatsu et al., Absolute cross section of the reaction $\text{Cu}^{63}(\gamma,n)\text{Cu}^{62}$ for Lithium gamma rays. J. Phys. Soc. Japan **15**, 1913–1919 (1960). doi: 10.1143/JPSJ.15.1913
- [93] R.E. Sund, M.P. Baker, L.A. Kull et al., Measurements of the 63 Cu(γ , n) and (γ , 2n) cross sections. Phys. Rev. **176**, 1366–1376 (1968). doi: 10.1103/PhysRev.176.1366
- [94] D.G. Owen, E.G. Muirhead, B.M. Spicer, Structure in the giant resonance of ⁶⁴Zn and ⁶³Cu. Nucl. Phys. A **122**, 177–183 (1968). doi: 10.1016/0375-9474(68)90711-2
- [95] L.Z. Dzhilavyan, N.P. Kucher, Measurement of the cross section of the reaction 63 Cu (γ, n) in a beam of quasimonochromatic annihilation photons in the energy region 12-25 MeV. Yad. Fiz. **30**, 294 (1979).
- [96] S.C. Jeong, J.C. Kim, B.N. Sung, Cross section measurement for the 63 Cu(γ , n) 62 Cu reaction. J. Korean Phys. Soc. **17**, 359 (1984)
- [97] M.N. Martins, E. Hayward, G. Lamaze et al., Experimental test of the bremsstrahlung cross section. Phys. Rev. C 30, 1855–1860 (1984). doi: 10.1103/PhysRevC.30.1855
- [98] C. Plaisir, F. Hannachi, F. Gobet et al., Measurement of the 85 Rb(γ , n) 84m Rb cross-section in the energy range 10-19 MeV with bremsstrahlung photons. Eur. Phys. J. A **48**, 68 (2012). doi: 10.1140/epja/i2012-12068-7
- [99] K. Masumoto, T. Kato, N. Suzuki, Activation yield curves of photonuclear reactions for multielement photon activation analysis. Nucl. Instrum. Methods 157, 567–577 (1978). doi: 10.1016/0029-554X(78)90019-8
- [100] A.K.M.L. Rahman, K. Kato, H. Arima et al., Study on effective average (γ,n) cross section for 89 Y, 90 Zr, 93 Nb, and 133 Cs

- and $(\gamma, 3n)$ cross section for ⁹⁹Tc. J. Nucl. Sci. Technol. **47**, 618–625 (2010). doi: 10.3327/jnst.47.618
- [101] A. Banu, E.G. Meekins, J.A. Silano et al., Photoneutron reaction cross section measurements on ⁹⁴Mo and ⁹⁰Zr relevant to the p-process nucleosynthesis. Phys. Rev. C **99**, 025802 (2019). doi: 10.1103/PhysRevC.99.025802
- [102] T. Shizuma, H. Utsunomiya, P. Mohr et al., Photodisintegration cross section measurements on ¹⁸⁶W, ¹⁸⁷Re, and ¹⁸⁸Os: Implications for the Re-Os cosmochronology. Phys. Rev. C 72, 025808 (2005). doi: 10.1103/PhysRevC.72.025808
- [103] V.A. Zheltonozhsky, M.V. Zheltonozhskaya, A.M. Savrasov et al., Studying the activation of 177 Lu in (γ, pxn) reactions. Bull. Russ. Acad. Sci. Phys. **84**, 923–928 (2020). doi: 10.3103/S1062873820080328
- [104] O.V. Bogdankevich, L.E. Lazareva, A.M. Moiseev, Inelastic scattering on ¹⁰³Rh nuclei. J. Exp. Theor. Phys. 12, 853 (1961).
- [105] Z.M. Bigan, V.A. Zheltonozhsky, V.I. Kirishchuk et al., Excitation of ¹¹³In, ¹⁹⁵Pt and ¹⁹⁹Hg isomers in reactions of inelastic gamma scattering. Bull. Russ. Acad. Sci. Phys. **70**, 292 (2006).
- [106] V.G. Nedorezov, E.S. Konobeevski, S.V. Zuyev et al., Excitation of ^{111m}Cd, ^{113m}In, and ^{115m}In isomeric states by photons of energy up to 8 MeV. Phys. Atom. Nucl. **80**, 827–830 (2017). doi: 10.1134/S1063778817050167
- [107] O.V. Bogdankevich, L.E. Lazareva, F.A. Nikolaev, Inelastic scattering of photons by indium-115 nuclei. J. Exp. Theor. Phys. 4, 320 (1957).
- [108] V.M. Mazur, I.V. Sokolyuk, Z.M. Bigan et al., Cross section for excitation of nuclear isomers in (γ, γ') -m reactions at 4-15 MeV. Yad. Fiz. **56**, 20 (1993).
- [109] N.A. Demekhina, A.S. Danagulyan, G.S. Karapetyan, Formation of isomeric states in (γ, γ') reactions at energies around the giant dipole resonance. Phys. Atom. Nucl. **64**, 1796–1798 (2001). doi: 10.1134/1.1414927
- [110] V.S. Bokhinyuk, A.I. Guthy, A.M. Parlag et al., Study of the effective excitation cross section of the ¹¹⁵In isomeric state in the (γ, γ') reaction. Ukr. J. Phys. **51**, 657 (2006).
- [111] W. Tornow, M. Bhike, S.W. Finch et al., Measurement of the 115 In(γ , γ') 115m In inelastic scattering cross section in the 1.8 to 3.7 MeV energy range with monoenergetic photon beams. Phys. Rev. C **98**, 064305 (2018). doi: 10.1103/Phys-RevC.98.064305